

Appointment

From: Buck-Priddy, Allison [Allison.Buck-Priddy@odh.ohio.gov]
Sent: 8/20/2018 2:58:13 PM
To: Buck-Priddy, Allison [Allison.Buck-Priddy@odh.ohio.gov]; Bollweg, George [bollweg.george@epa.gov]; Helmer, Stephen [Stephen.Helmer@odh.ohio.gov]; Fugitt, Rebecca [Rebecca.Fugitt@odh.ohio.gov]; Knerr, Rikki [Rikki.Knerr@odh.ohio.gov]; Frey, Robert [Bob.Frey@odh.ohio.gov]; Colledge, Michelle [Colledge.Michelle@epa.gov]; Johnson, Mark [johnson.mark@epa.gov]; Hodanbosi, Robert [Robert.Hodanbosi@epa.ohio.gov]; McClure, Diane [Diane.McClure@epa.ohio.gov]; Miller, Brad (Brad.Miller@hamilton-co.org) [Brad.Miller@hamilton-co.org]; (Hamilton) mike.kramer@hamilton-co.org [mike.kramer@hamilton-co.org]; Compher, Michael [compher.michael@epa.gov]; Siegel, Kathryn [siegel.kathryn@epa.gov]; Fuoco, Marta [fuoco.marta@epa.gov]; Hamilton, Scott [hamilton.scott@epa.gov]; Coughlin, Justin [coughlin.justin@epa.gov]; Cain, Alexis [cain.alexis@epa.gov]; Harrison, Gina [harrison.gina@epa.gov]; St. Peter, Marie [StPeter.Marie@epa.gov]; Secrest, Cary [Secrest.Cary@epa.gov]; Koval, Paul [paul.koval@epa.ohio.gov]
Subject: FW: AK Steel Follow-Up
Location: RP Conference Room (See call-in info below)
Start: 8/23/2018 6:00:00 PM
End: 8/23/2018 7:00:00 PM
Show Time As: Busy

GB notes:

...joined late; benzene loop piping replaced; decanters circulating...?...75% completed; rebuilt decanter (reduce benzene emissions); these things are in the findings and orders;

Brad Miller (is Brad Hamilton County?): air toxics: trying to site another monitor in Middletown; a parking lot near coke plant meets siting criteria, near fenceline; this is said to be the best possibility; AK contractor is "looking into" electrical connectivity; another neighborhood site might be a possibility; TO-15 samples 1 in 12 days; several other things mentioned

Marie: asked about coke oven doors; Brad said the doors look "a lot better", less benzene leakage;

per Brian - no documents, still working w/OH EPA enforcement; per Scott, still validating GMAP data; DUVAS data needed reprocessing; Justin tried to describe what the issue was with the DUVAS; comparing TO15 and DUVAS; Michelle asked about ...; Marta said it would take a couple weeks to do the reprocessing;

ATSDR: nothing new to add, waiting on EPA to validate dataset

ODH: Bob Frey - did some mapping to see where ... IDd 12 tracts, looked at community cancer incidence info; 1996-2016; also looking at respiratory syndromes in these tracts;

NEXT STEPS: follow up call in a few weeks; similar time and date (Sept. 20th at 2 pm)

-----Original Appointment-----

From: Buck-Priddy, Allison [mailto:Allison.Buck-Priddy@odh.ohio.gov]
Sent: Monday, August 20, 2018 9:58 AM
To: Buck-Priddy, Allison; Helmer, Stephen; Fugitt, Rebecca; Knerr, Rikki; Frey, Robert; Colledge, Michelle; Johnson, Mark; Hodanbosi, Robert; McClure, Diane; Miller, Brad (Brad.Miller@hamilton-co.org); (Hamilton) mike.kramer@hamilton-co.org; Compher, Michael; Siegel, Kathryn; Fuoco, Marta; Hamilton, Scott; Coughlin, Justin; Cain, Alexis; Bollweg, George; Harrison, Gina; St. Peter, Marie; Secrest, Cary; Koval, Paul
Subject: AK Steel Follow-Up
When: Thursday, August 23, 2018 2:00 PM-3:00 PM (UTC-05:00) Eastern Time (US & Canada).
Where: RP Conference Room (See call-in info below)

The purpose of this call is to follow up on the AK Steel site in Ohio.

Phone: 614-230-0229

Meeting ID: 33198#

Agenda to follow closer to meeting.

<<http://starttalking.ohio.gov>>

Did You Know: Children of parents who talk to their teens about drugs are up to 50% less likely to use.
Start the conversation: StartTalking.Ohio.Gov <<http://www.starttalking.ohio.gov/>>

This e-mail is intended for the sole use of the intended recipient and may contain privileged, sensitive, or protected health information. If you are not the intended recipient, be advised that the unauthorized use, disclosure, copying, distribution, or action taken in reliance on the contents of this communication is prohibited. If you have received this e-mail in error, please notify the sender via telephone or return e-mail and immediately delete this e-mail.

Not for Public Distribution